

Tapas y tapones

Tapas y tapones en serie 2000, 3000 y 6000

Tapas
Tapones
Tapas

Tapas

Tabla de tapas Serie 2000 y 3000 - Roscado y SW

Tamaño		A Roscado	B Roscado	A SW	B SW Max.	C Min.	D Max.
pulg.	mm	mm	mm	mm	mm	mm	mm
1/8	3.20	16.00	19.00	17.00	15.00	10.00	10.90
1/4	6.40	19.00	25.00	22.00	15.00	10.00	14.35
3/8	9.50	22.00	25.00	25.40	15.00	10.00	17.80
1/2	12.70	29.00	32.00	31.70	17.00	10.00	21.95
3/4	19.00	35.00	37.00	38.10	20.00	13.00	27.30
1	25.40	44.40	41.00	44.40	23.00	13.00	34.05
1 1/4	31.80	57.00	44.00	57.00	23.00	13.00	42.80
1 1/2	38.00	64.00	44.00	64.00	24.00	13.00	48.90
2	51.00	76.00	48.00	76.00	29.00	16.00	61.35
2 1/2	63.50	92.00	60.00	92.00	32.00	16.00	74.20
3	76.00	108.00	65.00	108.00	35.00	16.00	90.15
4	102.00	140.00	68.00	140.00	41.00	19.00	115.80

Tabla de tapas Serie 6000 - Roscado y SW

Tamaño		A Roscado	B Roscado	A SW	B SW Max.	C Min.	D Max.
pulg.	mm	mm	mm	mm	mm	mm	mm
1/8	3.20	22.00	27.00	19.00	17.00	10.00	10.90
1/4	6.40	25.00	27.00	24.00	17.00	10.00	14.35
3/8	9.50	32.00	27.00	29.00	17.00	10.00	17.80
1/2	12.70	38.10	33.00	35.00	18.00	10.00	21.95
3/4	19.00	44.40	38.00	41.20	21.00	13.00	27.30
1	25.40	57.00	43.00	50.80	24.00	13.00	34.05
1 1/4	31.80	64.00	46.00	57.00	24.00	13.00	42.80
1 1/2	38.00	76.00	48.00	67.00	26.00	13.00	48.90

Tamaño		A Roscado	B Roscado	A SW	B SW Max.	C Min.	D Max.
pulg.	mm	mm	mm	mm	mm	mm	mm
2	51.00	92.00	51.00	83.00	32.00	16.00	61.35
2 1/2	63.50	108.00	64.00		35.00	16.00	74.20
3	76.00	127.00	68.00		38.00	16.00	90.15
4	102.00	159.00	75.00		48.00	19.00	115.80

Tapones

Tapones

Tabla de tapones - Cabeza redonda

Tamaño		C Min.	B
pulg.	mm	mm	mm
1/8	3.20	35.00	10.00
1/4	6.40	41.00	13.00
3/8	9.50	41.00	17.00
1/2	12.70	44.50	21.00
3/4	19.00	44.50	27.00
1	25.40	51.00	33.00
1 1/4	31.80	51.00	43.00
1 1/2	38.00	51.00	48.00
2	51.00	63.50	60.00
2 1/2	63.50	70.00	73.00
3	76.00	70.00	89.00
4	102.00	76.00	114.00

Tabla de tapones - Cabeza hexagonal

Tamaño		A	B	Ent/caras
pulg.	mm	mm	mm	mm
1/8	3.20	9.50	6.00	11.00
1/4	6.40	11.00	6.00	16.00
3/8	9.50	12.50	8.00	17.50
1/2	12.70	14.50	9.50	22.00
3/4	19.00	16.00	11.00	27.00

Tamaño		A	B	Ent/caras
pulg.	mm	mm	mm	mm
1	25.40	19.00	11.00	35.00
1 1/4	31.80	20.50	14.00	44.40
1 1/2	38.00	20.50	16.00	51.00
2	51.00	22.00	17.50	63.50
2 1/2	63.50	27.00	19.00	76.00
3	76.00	28.70	20.50	89.00
4	102.00	32.00	25.00	117.50

Trabajamos con las normas

ANSI B16.11 • ANSI B2.1 (NPT - WHITWORTH GAS BSPT) - API SB

Relacionados con Tapas y tapones

Caños Epoxi
Tubos sin costura